Printing date 15.09.2017 Version number 2 Revision: 07.09.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Versacraft (Memento Luxe)
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

- · Application of the substance / the preparation: Colour ink
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

TSUKINEKO CO., LTD.

5F SUEHIRO JF BLDG., 5-1-5, SOTOKANDA, CHIYODA-KU, TOKYO 101-0021 JAPAN

Phone number: +<81> 3-3834-1080 (Japan) FAX number: +<81> 3-3834-1050 (Japan)

- · Further information obtainable from: Sales department
- · 1.4 Emergency telephone number: Phone number: +<81> 3-3834-1080 (Japan)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains triethanolamine. May produce an allergic reaction.

36 % of the mixture consists of component(s) of unknown toxicity.

Contains 86.1 % of components with unknown hazards to the aquatic environment.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

	· Dangerous components:		
Ī	CAS: 111-46-6	2,2'-oxybisethanol	2-4.8%
	EINECS: 203-872-2	<b>♦</b> Acute Tox. 4, H302	
	Index number: 603-140-00-6		
ſ	CAS: 1333-86-4	Carbon black	0-7%
	EINECS: 215-609-9	<b>♦</b> Self-heat. 1, H251	
	CAS: 57-55-6	Methyl glycol	0-2%
	EINECS: 200-338-0	<b>♦</b> Acute Tox. 4, H302	
Ī	CAS: 102-71-6	triethanolamine	0.5-1%
	EINECS: 203-049-8	<b>♦</b> Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 2)

Printing date 15.09.2017 Version number 2 Revision: 07.09.2017

Trade name: Versacraft (Memento Luxe)

(Contd. of page 1)

# SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

#### · After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

### · After skin contact:

Remove contaminated clothing and shoes.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

### · After eye contact:

Rinse opened eyes for several minutes under running water.

If symptoms persist, consult a doctor.

### · After swallowing:

Rinse out mouth with water.

If symptoms persist consult a doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Carbon dioxide, foam, dry chemical powder, dry sand, water spray
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Metal or Metal oxide fumes

#### · 5.3 Advice for firefighters

Use dry chemical powder, carbon dioxide, dry sand for early stage of fire.

Apply water from a safe distance to cool and protect surrounding area.

Remove containers to a safe place.

· Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

## SECTION 6: Accidental release measures

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

## · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EU

(Contd. on page 3)

Printing date 15.09.2017 Version number 2 Revision: 07.09.2017

Trade name: Versacraft (Memento Luxe)

(Contd. of page 2)

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Wear proper protective equipment to avoid contact and inhalation.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

Apron

(Contd. on page 4)

-EU

Printing date 15.09.2017 Version number 2 Revision: 07.09.2017

Trade name: Versacraft (Memento Luxe)

**Boots** 

(Contd. of page 3)

## SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

· Flash point:

Form: Liquid
Colour: Coloured
Odour: Slightly smell

· Change in condition

Initial boiling point and boiling range: Not determined

• Explosive properties: Not determined.
• Vapour pressure: Not determined.

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.
 Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Insoluble.

• 9.2 Other information No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Not determined.

- · 10.3 Possibility of hazardous reactions: Reacts with oxidising agents.
- · 10.4 Conditions to avoid: No further relevant information available.
- · 10.5 Incompatible materials: Oxydizing agents
- · 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx) Carbon oxides (COx)

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:			
111-46-	1-46-6 2,2'-oxybisethanol			
Oral	LD50	12565 mg/kg (rat)		
Dermal	LD50	11890 mg/kg (rabbit)		
102-71-	6 trieth	triethanolamine		
Oral	LD50	8000 mg/kg (rat)		
57-55-6	57-55-6 Methyl glycol			
Oral	LD50	2000 mg/kg (rat)		
Dermal	LD50	20800 mg/kg (rabbit)		

(Contd. on page 5)

Printing date 15.09.2017 Version number 2 Revision: 07.09.2017

Trade name: Versacraft (Memento Luxe)

(Contd. of page 4)

#### 1333-86-4 Carbon black

Oral | LD50 | 10000 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Irritation may occur.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous to water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	Void	
14.2 UN proper shipping name	Void	
14.3 Transport hazard class(es)	Void	
14.4 Packing group	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

(Contd. on page 6)

Printing date 15.09.2017 Version number 2 Revision: 07.09.2017

Trade name: Versacraft (Memento Luxe)

(Contd. of page 5)

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H251 Self-heating: may catch fire.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- · Department issuing SDS: Sales department
- **Contact:** Phone number: +<81> 3-3834-1080 (Japan)
- · Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Self-heat. 1: Self-heating substances and mixtures - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered. Classification according to Regulation (EC) No 1272/2008